





1 daN = 10 N

PERMISSIBLE MAX. STRENGTH ON THE TERMINALS		
Horizontal tensile strength		175 daN
Transversal horizontal strength		125 daN
Vertical strength		150 daN
MASS OF ONE COMPLETE INTERRUPTING PART		1623 kg
MASS OF THE FRAME		225 kg
MASS OF SPRINGS CONTROL MECHANISM		300 kg
MASS OF CENTRALIZING CUBICLE		80 kg
MASS OF THE CIRCUIT BREAKER WITH FRAME		6524 kg
HEIGHT OF BARYCENTER		4996 mm
F_v STRENGTH DUE TO THE WIND EXERTED ON THE POLE TRUST CENTER		362 daN
MAXIMUM STRENGTHS (STATIC+DYNAMIC) ON EVERY FIXING POINT	Downward F1	6110 daN
	Upward F2	5337 daN
TOTAL STRENGTH ON FOUNDATION DOWNWARD (F1)		4951 daN
TOTAL STRENGTH ON FOUNDATION UPWARD (F2)		1292 daN
OVERTURNING TORQUE ON FOUNDATION		5400 daN.m

DIMENSIONS IN MILLIMETERS

105/5 - 1x3000H+1x5000H*

GE.		All rights reserved.	
DESIGN DATE: 2019-02-25 NAME: Li Mingjie	SCALE 1/50		GE Power Suzhou SHV
VERIFICATION DATE: 2019-02-25 NAME: Xin Junchao	PAGE 2/5	GL316 OL01	REVISION 1



INDICATEUR DE POSITION DU DISJONCTEUR
BREAKER POSITION INDICATOR

INDICATEUR RESSORTS D'ENCLenchement TENDU-DETENDU
CHARGED-DISCHARGED CLOSING SPRINGS INDICATOR

ARBRE DE COMMANDE
OPERATING SHAFT

FIXATION: 4 TROUS $\phi 17$
FIXING: 4 HOLES 17 dia

ZONE DISPONIBLE POUR PASSAGE
DE TOUS LES CABLES B.T.
AVAILABLE ZONE FOR LOCATION
OF ALL L.V. CABLES


MASSE : 205 kg
MASS : 205 kg

DIMENSIONS EN MILLIMETRES
DIMENSIONS IN MILLIMETERS

EQUIPPED SPRINGS CONTROL MECHANISM FK3-2

DESIGN DATE: 2019-02-25 NAME: Li Mingjie	SCALE 1/10		GE Suzhou	Power SHV	REVISION 1
VERIFICATION DATE: 2019-02-25 NAME: Xin Junchao	PAGE 3 / 5				





GL316 OL01



WEIGHT : 80 kg


DIMENSIONS IN MILLIMETERS

CENTRALIZING CUBICLE				
GE All rights reserved.				
DESIGN DATE: 2019-02-25 NAME: Li Mingjie	SCALE 1/10		GE Power Suzhou SHV	
VERIFICATION DATE: 2019-02-25 NAME: Xin Junchao	PAGE 4 / 5		GL316 OL01	REVISION 1




DETAIL B

FIXING TO GROUND



DETAIL F

Anchor bolt



DIMENSIONS IN MILLIMETERS

GE		All rights reserved.		
DESIGN DATE: 2019-02-25 NAME: Li Mingjie	SCALE —: —		GE Power Suzhou SHV	
VERIFICATION DATE: 2019-02-25 NAME: Xin Junchao	PAGE 5 / 5	GL316 OL01		REVISION 1